

CERTIFICATION OF ASBESTOS CONTAINING MATERIALS

Owner shall require certification that all materials included in any work completed by the Contractor, will be free of asbestos. Acceptable certification will be Material Safety Data Safety (MSDS) sheets for each type of material.

For purposes of this requirement, materials include but are not limited to the following:

Surfacing Treatments

Fireproofing
Finish Plasters

Acoustical Plaster
Skim Coats of Joint Compound

Thermal System Insulation

Equipment Insulation

Boiler, Breeching, Boiler Rope, Duct or Tank Insulation, Cement or Mortar used for boilers and refractory brick

Piping and fitting insulations including but not limited to Wrapped Paper, Aircell, Millboard, Rope, Cork, Preformed Plaster, Job Molded Plaster and coverings over fibrous glass insulation

Roofing and Siding Miscellaneous Materials

Insulation Board
Coatings
Flashing
Cementitious Board (Transite)
Non-Metallic or Non-Wood Roof Decking

Vapor Barriers
Felts
Shingles
Galbestos

Other Miscellaneous Materials

Floor Tile
Cove Base
Ceiling Tile
Vibration Isolators
Chalkboards
Electrical Wire Insulation
Fire Blankets
Brakes and Clutches
Caulks
Wallpaper
Plasterboard
Textured Paint
Glazing Compound
Gaskets, Seals, Sealants (including for condensate control)

Floor Leveling Compound
Vermiculite Insulation
Laboratory Tables and Hoods
Cementitious Board
Fire Curtains
Fire Doors
Mastics, Adhesives & Glues
Sheet Flooring (Linoleum)
Drywall
Spakling/Joint Compound
Grout
Terrazzo