

Laser Registration Form Rochester Institute of Technology

Rochester Institute of Technology Environmental Health and Safety Department

| Responsible Person | | | | | | | |
|--|-------------------------|---------------------|------------------------------------|-------------|----------------|----------------------|--------------|
| First Name: | Last Name: Date:/ | | | | | | |
| Email Address: | College: | | | | | | |
| Office Extension: Department: | | | | | | | |
| | | | | | | | |
| Location of Laser | | | | | | Uniqu | e Identifier |
| Building Name & Number | | Room Number | | Use o | Use or Storage | | |
| · · | | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | | |
| Laser Information | | | | | | | |
| Manufacturer Model Number | | odel Number | Serial Number | | nber | Laser Type | |
| | | | | | | | |
| Classification | Optical Wavelength (nm) | | Beam Diameter (nm) | | | Beam Divergence (nm) | |
| | | | ` | | | | |
| | | | | | | | |
| ☐ Continuous Wave | | ☐ Pulsed | | | Q-Switched | | |
| Continuous wave | | | Dulle | Danatitian | | Q-SWILCHE | |
| Average Power (Watts) | Energy | Joules per Pulse | Pulse Repetition Frequency (Hz) | Pulse Width | Energy | Joules per Pulse | |
| | 37 | | | | | 37 | |
| | | | | | | | |
| If this is a transfer of responsibility or location, please indicate the previous owner or location below. | | | | | | | |
| Transfer of: | | | | | | | |
| Responsibility | | | Location | | | | |
| First Name: | | | Building – Room Number: | | | | |
| Last Name: | | | College: | | | | |
| Office Extension: | | | Department: | | | | |
| | | | | | | | |
| Purpose or Use: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Comments: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| I understand that all new lasers and laser transfers must be registered with the Environmental Health and Safety Department. | | | | | | | |
| . and or stand and the industry and the factor of the following the Environmental Fledith and Galety Department. | | | | | | | |
| Responsible Person's Signature: X Date:/ | | | | | | | |
| Responsible Person's Signature: | ^ | | | | | _ Date:/ | |

Return completed form to the Laser Safety Officer, EH&S Dept., FMS (Bldg. 99) or fax to 475-2966