

# Jan. 1, 2022 Premium Formulary Exclusions & Preferred Specialty Prior Authorization Requirements

Standard

| Therapeutic Category                   | Excluded Medications   |   | Formulary Alternatives  |
|--|------------------------|---|---|
| <b>ALLERGIC REACTIONS</b>              |                        |   |   |
| Anaphylaxis Treatment                  | Auvi-Q (0.15mg, 0.3mg) |   | epinephrine injection (0.15mg, 0.3mg)   |
| <b>ANALGESICS</b>                      |                        |   |   |
| Non-Steroidal Anti-Inflammatory Agents | Oral                   | Cambia, Diclofenac Cap 35mg (M), Zipsor, Zorvolex             | celecoxib, diflunisal, etodolac, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclofenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac, tolmetin |
|  |                        | Qmiiz ODT   | meloxicam   |
|  |                        | Relafen DS  | nabumetone  |
|  | Other                  | Ketorolac Nasal Spray (M), Sprix Nasal Spray                  | diclofenac, ibuprofen, meloxicam  |
|  | Topical                | Diclofenac Patch (M), Flector, Licart, Pennsaid, Voltaren gel | diclofenac gel/solution   |
| Opioid Analgesics                      | Combinations           | Apadaz, Benzhydrocodone/acetaminophen                         | hydrocodone/acetaminophen, oxycodone/acetaminophen  |
|  | Oral Long-Acting       | Nucynta ER, Oxycodone ER (M)                                  | hydrocodone bitartrate ER 24HR, hydromorphone HCl ER, morphine sulfate ER, oxymorphone HCl ER, Hysingla ER, OxyContin, Xtampza ER   |
|  |                        | Conzip, Tramadol ER 100mg, 200mg, 300mg cap (M)               | tramadol ER   |
|  | Oral Short-Acting      | Nucynta   | codeine sulfate, hydromorphone HCl, morphine sulfate, oxycodone HCl, oxymorphone HCl  |
|  |                        | Qdolo   | tramadol  |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category                      | Excluded Medications   |   | Formulary Alternatives  |
|---|--|---|---|
| <b>ANALGESICS</b>                         |  |   |   |
| Opioid Analgesics                         | Transmucosal Fentanyl Analgesics                             | Fentora, Fentanyl Citrate Buccal Tab (M), Lazanda, Subsys | fentanyl citrate lozenge  |
| Skeletal Muscle Relaxants                 | Norgesic Forte, Orphengesic Forte (M)                        |   | orphenadrine tab, aspirin   |
|   | Ozobax   |   | baclofen  |
| <b>ANTIBACTERIALS</b>                     |  |   |   |
| Oral Antibiotics                          | Doryx 80mg, Doryx MPC, Doxycycline Hyclate DR 80mg, Minolira |   | doxycycline, minocycline  |
| Vaginal Antiinfectives                    | Cleocin vaginal suppositories, Nuversa gel                   |   | clindamycin vaginal cream, metronidazole vaginal gel  |
| <b>ANTICONVULSANTS</b>                    |  |   |   |
| Seizure Disorders                         | Lamictal ODT Kit   |   | lamotrigine ODT   |
|   | Oxtellar XR <sup>1</sup>                                     |   | oxcarbazepine IR  |
| <b>ANTIDEPRESSANTS</b>                    |  |   |   |
| Antidepressants                           | Bupropion XL (M) <sup>1</sup> , Forfivo XL <sup>1</sup>      |   | bupropion XL  |
| <b>ANTIFUNGALS, ORAL</b>                  |  |   |   |
| Oral Antifungals                          | Tolsura  |   | itraconazole cap  |
| <b>ANTIHEMOPHILIACS</b>                   |  |   |   |
| Hemophilia A                              | Esperoct <sup>1</sup>  |   | Adynovate, Afstyla, Eloctate, Jivi  |
| <b>ANTIMIGRAINES</b>                      |  |   |   |
| CGRP Antagonists                          | Ajovy  |   | amitriptyline, atenolol, divalproex sodium, nadolol, propranolol, timolol, topiramate, venlafaxine, Aimovig, Emgality |
|   | Reyvow   |   | Nurtec ODT, Ubrelvy   |
| Serotonin Receptor Agonists               | Onzetra Xsail, Tosymra, Zembrace Symtouch                    |   | rizatriptan ODT, sumatriptan injection, sumatriptan nasal spray, zolmitriptan ODT                                     |
| <b>ANTIPARKINSON AGENTS</b>               |  |   |   |
| Parkinson's Disease                       | Gocovri, Osmolex ER  |   | amantadine  |
| <b>ANTIPSYCHOTICS</b>                     |  |   |   |
| Atypical/Second Generation Antipsychotics | Secuado <sup>1</sup>   |   | aripiprazole, asenipine, olanzapine, quetiapine, quetiapine ER, paliperidone ER, risperidone, ziprasidone             |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category                               | Excluded Medications  | Formulary Alternatives   |
|--|---|--|
| <b>ANTIVIRALS</b>                                  |   |  |
| Hepatitis-C drugs                                  | Ledipasvir-Sofosbuvir (M), Sofosbuvir-Velpatasvir (M)   | Epclusa, Harvoni, Mavyret, Vosevi                                |
| HIV Drugs  | Cabenuva <sup>1</sup> , Descovy <sup>2</sup> , Temixys <sup>1</sup> , Vocabria <sup>1</sup>     | Please talk to your doctor about clinically appropriate options. |
| <b>AUTONOMIC &amp; CENTRAL NERVOUS SYSTEM</b>      |   |  |
| Attention Deficit Disorder                         | Adhansia XR   | dexamethylphenidate ER, methylphenidate ER, Vyvanse              |
|  | amphetamine/dextroamphetamine ER cap  | Adderall XR  |
| Interferon Beta Medications for Multiple Sclerosis | Extavia <sup>1</sup> , Plegridy <sup>1</sup> , Rebif <sup>1</sup> , Rebif Rebidose <sup>1</sup> | Avonex, Betaseron  |
| <b>CARDIOVASCULAR</b>                              |   |  |
| Cholesterol-Lowering Agents                        | Livalo, Zypitamag   | atorvastatin, lovastatin, pravastatin, rosuvastatin, simvastatin |
|  | Praluent  | Repatha  |
| Hypertension                                       | Conjupri, Katerzia  | amlodipine   |
|  | Inderal XL, Innopran XL   | propranolol ER   |
|  | Kaspargo  | metoprolol ER  |
| Hypertension with Osteoarthritis                   | Consensi  | amlodipine, celecoxib  |
| <b>CHEMOTHERAPY AGENTS</b>                         |   |  |
| Alkylating Agents                                  | Belrapzo, Bendamustine, Treanda   | Bendeka  |
| Antiandrogens                                      | Erleada <sup>1</sup>  | Nubeqa, Xtandi   |
|  | Yonsa <sup>1</sup>  | Xtandi   |
| Combination Agents                                 | Inqovi <sup>1</sup>   | Please talk to your doctor about clinically appropriate options. |
| Cytolytic Antibodies                               | Riabni <sup>1</sup> , Truxima   | Ruxience   |
| HER-2 Inhibitors                                   | Herzuma, Ogivri, Ontuzant   | Kanjinti, Phesgo, Trazimera                                      |
| Kinase Inhibitors                                  | Gavreto <sup>1</sup>  | Retevmo  |
|  | Tepmetko <sup>1</sup>   | Tabrecta   |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category         | Excluded Medications   | Formulary Alternatives  |
|------------------------------|--|---|
| <b>CHEMOTHERAPY AGENTS</b>   |  |   |
| Methyltransferase Inhibitors | Tazverik <sup>1</sup>  | Please talk to your doctor about clinically appropriate options.  |
| Miscellaneous                | Darzalex Faspro  |   |
| <b>CONTRACEPTIVES</b>        |  |   |
| Gel                          | Phexxi   | Please talk to your doctor about clinically appropriate options.  |
| Oral                         | Lo Loestrin  | junel FE, larin FE, microgestin FE, tarina FE   |
|                              | Slynd  | camila, incassia, nora-be, norethindrone, norlyda, norlyroc   |
| Patch                        | Twirla   | levonorgestrel/ethinyl estradiol combined generic oral contraceptive, xulane  |
| <b>CORTICOSTEROIDS</b>       |  |   |
| Oral Steroids                | Alkindi Sprinkle   | hydrocortisone  |
|                              | Hemady   | dexamethasone   |
|                              | Rayos  | prednisone  |
| <b>DERMATOLOGICAL AGENTS</b> |  |   |
| Topical Acne Treatment       | Avita, Differin lotion   | adapalene, tretinoin cream/gel, Retin-A micro gel 0.06% and 0.08%   |
|                              | Aklief, Clindagel, Clindamycin phosphate 1% gel(M), Dapsone 7.5% (M), Veltin | adapalene, adapalene/benzoyl peroxide, clindamycin gel/lotion/solution, clindamycin/benzoyl peroxide, dapsone, erythromycin/benzoyl peroxide, tretinoin cream, Aczone 7.5%, Amzeeq, Epiduo Forte, Onexton |
|                              | Arazlo, Fabior, Tazorac cream 0.05%, gel 0.1%, 0.05%, Tazarotene foam 1%     | tazarotene cream  |
|                              | Winlevi  | adapalene, clindamycin, dapsone, tazarotene cream, tretinoin cream  |
| Topical Anesthetics          | ZTIido   | lidocaine patch   |
| Topical Antifungals          | Jublia   | ciclopirox, tavaborole, terbinafine, Kerydin  |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category                                    | Excluded Medications   | Formulary Alternatives  |
|---|--|---|
| <b>DERMATOLOGICAL AGENTS</b>                            |  |   |
| Topical Antiinfectives                                  | Noritrate cream  | azelaic acid gel, ivermectin 1%, metronidazole cream/gel/lootion, Finacea foam, Soolantra |
| Topical Corticosteroids                                 | ALA Scalp lotion   | hydrocortisone  |
|   | Apexicon E cream   | fluocinonide, betamethasone   |
|   | Capex shampoo  | flucinolone acetonide scalp oil, Derma-Smoothe/FS   |
|   | Cordran tape   | flurandrenolide   |
|   | Halobetasol foam(M), Lexette   | betamethasone, clobetasol, halobetasol cream/ointment                                     |
|   | Halog ointment   | betamethasone, mometasone, triamcinolone  |
|   | Impeklo lotion   | augmented betamethasone dipropionate, clobetasol  |
|   | Impoyz cream   | clobetasol  |
|   | Pandel cream   | flurandrenolide, hydrocortisone valerate, triamcinolone acetonide                         |
|   | Psorcon cream, Verdeso foam  | betamethasone, fluocinolone   |
|   | Trianex oint 0.05%   | hydrocortisone valerate, triamcinolone acetonide  |
|   | Ultravate lotion   | clobetasol proprionate, fluocinonide, halobetasol proprionate                             |
| Topical Immune Response Modifier                        | Imiquimod cream pump 3.75% (M), Zyclara Pump   | imiquimod   |
| Topical Plaque Psoriasis                                | Calcipotriene foam 0.005% (M), Sorilux   | calcipotriene   |
|   | Duobrii lotion   | clobetasol, fluocinonide, halobetasol, tazarotene, Enstilar                               |
|   | Wynzora  | calcipotriene, calcipotriene/betamethasone, Enstilar, Taclonex suspension                 |
| <b>DIABETES</b>   |  |   |
| Blood Glucose Meters, Test Strips and Control Solutions | <b>Examples:</b> Abbott (FreeStyle, Precision), Arkray(GlucoCard), Lifescan (Onetouch), Trividia, (TRUEtest, TRUEtrack), Roche (Accu-Chek) | Ascencia (Contour, Contour Next)  |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category  | Excluded Medications   | Formulary Alternatives  |
|---|--|---|
| <b>DIABETES</b>   |  |   |
| Continuous Glucose Monitoring (CGM)                                   | Freestyle Libre  | Dexcom  |
| Blood Sugar Regulators<br>Miscellaneous                               | metformin HCl 24hr ER osmotic release,<br>metformin HCl 24hr ER modified release   | metformin ER  |
| Dipeptidyl Peptidase-4 (DPP4) Inhibitors & Combinations               | Alogliptin (M), Alogliptin with metformin (M), Alogliptin with pioglitazone (M), Kazano, Kombiglyze XR, Nesina, Onglyza, Oseni | Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Tradjenta      |
| Basal insulins  | Basaglar, Levemir, Semglee, Tresiba  | Lantus, Toujeo  |
| Glucagon-Like Peptide-1 (GLP1) Agonists                               | Adlyxin  | Bydureon, Bydureon BCise, Byetta, Ozempic, Rybelsus, Trulicity, Victoza |
| Insulins  | Novolin, Novolin Relion  | Humulin   |
| Rapid-acting Insulins   | Admelog, Apidra, Fiasp, Insulin Aspart (M), Insulin Lispro (M), Novolog, Novolog Relion  | Humalog, Lyumjev  |
| Sodium-glucose Co-transporter (SGLT2) Inhibitors - Single Agent       | Invokana, Steglatro  | Farxiga, Jardiance  |
| Sodium-glucose Co-transporter (SGLT2) inhibitors - Combination Agents | Invokamet, Invokamet XR, Segluromet  | Synjardy, Synjardy XR, Xigduo XR  |
| SGLT2 and DPP4 Combinations   | QTERN, Steglujan   | Glyxambi, Trijardy XR   |
| <b>ENDOCRINE (OTHER)</b>  |  |   |
| Cortisol Synthesis Inhibitors   | Isturisa   | ketoconazole tabs, Korlym   |
| Growth Hormones   | Genotropin, Humatrope, Omnitrope, Saizen, Zomacton   | Norditropin, Nutropin   |
| Infertility   | Gonal-F, Gonal-F RFF   | Follistim AQ  |
|   | Cetrotide  | ganirelix (made by Organon)   |
| Somatostatin Analog   | Mycapssa   | octreotide injection  |
|   | Signifor (SQ)  | Signifor LAR  |
| Testosterone Replacement  | Aveed, Jatenzo, Natesto, Testopel  | testosterone, Androderm, Xyosted  |
| <b>ENZYME DISORDERS</b>   |  |   |
| Duchenne Muscular dystrophy (DMD)                                     | Amondys 45, Exondys 51, Vyondys 53   | dexamethasone, methylprednisolone, prednisone                           |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category  | Excluded Medications   | Formulary Alternatives  |
|---|--|---|
| <b>GASTROINTESTINAL</b>   |  |   |
| Anti-Diarrheal Agents   | Motofen  | diphenoxylate/atropine, loperamide  |
| Antiemetics   | Sancuso patch  | granisetron solution/tablet, ondansetron ODT  |
| Anti-Inflammatory, Anti-Ulcer Agents  | Duexis   | famotidine, ibuprofen   |
| Irritable Bowel Syndrome with Constipation/ Chronic Idiopathic Constipation (IBS-C/CIC) | Amitiza, Lubiprostone (M), Trulance  | Linzess   |
| Opioid-Induced Constipation (OIC)   | Amitiza, Lubiprostone (M), Movantik, Relistor                                      | Symproic  |
| Inflammatory Bowel Disease  | Dipentum   | balsalazide, mesalamine DR cap 400mg, Apriso, Lialda  |
|   | mesalamine cap 0.375mg   | Apriso  |
|   | mesalamine tab 1.2gm   | Lialda  |
|   | Ortikos  | budesonide ER   |
| Laxatives   | Osmoprep, Plenvu   | gavilyte, peg 3350, Clenpiq, Suprep   |
| Pancreatic Enzymes  | Pancreaze, Pertzeye, Viokace   | Creon, Zenpep   |
| Proton Pump Inhibitors  | omeprazole with sodium bicarbonate (cap, powder pak), Rabeprazole sprinkle cap (M) | esomeprazole magnesium delayed release, lansoprazole, omeprazole, pantoprazole, Aciphex Sprinkle caps, Dexilant |
| <b>HEMATOLOGICAL</b>  |  |   |
| Cyclin-dependent Kinase Inhibitor   | Cosela   | Nivestym, Zarzio  |
| Erythropoiesis-Stimulating Agents   | Epogen, Procrit  | Aranesp, Retacrit   |
| Immune Globulin, Intravenous (IVIG)   | Asceniv <sup>1</sup> , Panzyga <sup>1</sup>  | Gammagard, Gammalex, Gamunex-C, Privigen  |
| Immune Globulin, Subcutaneous (SCIG)  | Cutaquig <sup>1</sup>  | Cuvitru, Hizentra, Xembify  |
| Long-Acting Granulocyte-Colony Stimulating Factor (G-CSFs)                              | Fulphila, Nyvepria, Udenyca  | Neulasta, Ziextenzo   |
| Short-Acting Granulocyte-Colony Stimulating Factor (G-CSFs)                             | Granix, Neupogen   | Nivestym, Zarzio  |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category                   | Excluded Medications                                | Formulary Alternatives   |
|--|---|--|
| <b>IMMUNOMODULATORS</b>                |   |  |
| Calcineurin Inhibitor                  | Lupkynis  | Benlysta   |
| Folate Analog Metabolic Inhibitor      | Otrexup, Reditrex                                   | methotrexate, Rasuvo   |
| Interleukin-17 (IL-17) Inhibitor       | Cosentyx <sup>1</sup>                               | Taltz  |
| JAK Inhibitor                          | Olumiant <sup>1</sup>                               | Rinvoq, Xeljanz, Xeljanz XR  |
| TNF Inhibitor                          | Remicade, Renflexis                                 | Avsola, Inflectra  |
| <b>IMMUNOTHERAPY</b>                   |   |  |
| Oral                                   | Palforzia   | Please talk to your doctor about clinically appropriate options.   |
| <b>OPHTHALMIC</b>                      |   |  |
| Antiglaucoma Drugs                     | Vyzulta, Zioptan                                    | latanoprost ophthalmic solution, travoprost ophthalmic solution, Lumigan   |
|  | Timoptic Ocudose 0.25%                              | timolol ophthalmic solution  |
| Antihistamines                         | Lastacaft, Zerviate                                 | azelastine ophthalmic solution, bepotastine ophthalmic solution, olopatadine ophthalmic solution   |
| Dry Eye Disease                        | Cequa   | Restasis, Xiidra   |
| Non-steroidal Anti-Inflammatory Agents | Bromsite, Ilevro, Nevanac                           | bromfenac ophthalmic solution, diclofenac ophthalmic solution, flurbiprofen sodium ophthalmic solution, ketorolac tromethamine ophthalmic solution, Prolensa |
| Wet Age-related Macular Degeneration   | Beovu   | ophthalmic bevacizumab (compound), Eylea, Lucentis, Macugen  |
| <b>OTHER</b>                           |   |  |
| Antigout Agents                        | Colchicine capsule (M), Colcrys, Gloperba, Mitigare | colchicine tablet  |
| Antihistamines and Combinations        | Clarinet-D  | desloratadine, pseudoephedrine   |
| Bile Acid Therapy                      | Reltone, Ursodiol (M)                               | ursodiol   |
| Chelating Agents                       | penicillamine cap                                   | penicillamine tab, Depen Titra   |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.



| Therapeutic Category                                | Excluded Medications  | Formulary Alternatives   |
|---|---|--|
| <b>OTHER</b>  |   |  |
| Coagulation Factors                                 | Sevenfact   | Novoseven  |
| Diabetic Gastroparesis                              | Gimoti  | metoclopramide   |
| Duchenne Muscular Dystrophy (DMD)                   | Viltepso  | dexamethasone, methylprednisolone                                |
| Lambert-Eaton Myasthenic Syndrome (LEMS)            | Firdapse  | Ruzurgi  |
| Long-Chain Fatty Acid Oxidation Disorders (LC-FAOD) | Dojolvi   | Please talk to your doctor about clinically appropriate options. |
| Multivitamins                                       | <b>Examples:</b> Folic-K, Genicin Vita-S, Hylavite, Lorid, Tronvite, Xvite  | Any preferred multivitamin                                       |
| Neurogenic Detrusor Overactivity (NDO)              | Vesicare LS   | oxybutynin   |
| Obesity   | Contrave  | phentermine, Qsymia, Saxenda                                     |
|   | Imcivree  | Please talk to your doctor about clinically appropriate options. |
| Opioid Reversal Agents                              | Lifems Naloxone   | naloxone, Narcan   |
| Osteoarthritis/Hyaluronic Acid Injections           | Gel-One, Genvisc, Hyalgan, Hymovis, Monovisc, Orthovisc, Supartz FX, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3 | Durolane, Euflexxa, Gelsyn-3                                     |
| Osteoporosis  | Forteo  | Teriparatide, Tymlos   |
| Platelet-Modifying Agent                            | Aspirin/Omeprazole (M), Yosprala  | aspirin, omeprazole  |
| Prenatal Vitamins                                   | <b>Examples:</b> Azesco, Pregenna, Prenate, Trinaz, Vitafoi FE, Vitathely, Zalvit                                     | Any preferred prenatal vitamin                                   |
| Sickle Cell Anemia                                  | Oxbryta   | hydroxyurea  |
| Sleep Disturbance Agents                            | Hetlioz LQ  | Please talk to your doctor about clinically appropriate options. |
| Thyroid Agents                                      | Levothyroxine caps (M), Thyquidity, Tirosint caps, solution   | levothyroxine  |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category   | Excluded Medications   | Formulary Alternatives  |
|--|--|---|
| <b>RESPIRATORY</b>   |  |   |
| Allergy: Nasal Steroids  | Xhance   | mometasone furoate, Beconase AQ   |
| COPD: Inhaled Anticholinergics   | Incruse Ellipta, Tudorza   | Spiriva   |
| COPD: Long-Acting Beta Agonist/Long-Acting Muscarinic Agonist Combination inhalers | Bevespi, Duaklir   | Anoro Ellipta, Stiolto Respimat   |
| Cystic Fibrosis  | Cayston, Kitabis Pak, Tobramycin Neb 300mg/5ml (M)   | tobramycin nebulizer soln, TOBI podhaler  |
| Pulmonary Anti-Inflammatory Inhalers   | Alvesco, Armonair Digihaler, Asmanex, Asmanex HFA, QVAR Redihaler  | Arnuity Ellipta, Flovent Diskus, Flovent HFA, Pulmicort Flexhaler                           |
| Pulmonary Anti-Inflammatory, Long-Acting Beta Agonist Combination Inhalers         | Airduo Digihaler, AirDuo Respiclick, Budesonide/Formoterol (M), Dulera   | Advair Diskus, Advair HFA, Breo Ellipta, Symbicort  |
|  | fluticasone-salmeterol inhaler, wixela   | Advair Diskus   |
| Short-Acting Beta-2 Adrenergic Inhalers  | Albuterol HFA (brand alternative for Ventolin HFA made by Prasco) (M), Levalbuterol Inhaler (M), Proair Digihaler, Proair HFA, Proair Respiclick, Proventil HFA, Ventolin HFA, Xopenex HFA | Any generic albuterol HFA inhaler (EXCEPTION: albuterol HFA made by Prasco)                 |
| Sugar Alcohol Inhalation Therapy   | Bronchitol   | hypertonic saline, Pulmozyme  |
| <b>UROLOGICAL</b>  |  |   |
| Erectile Dysfunction Oral Agents   | Stendra  | sildenafil  |
| Interstitial Cystitis  | Elmiron  | amitriptyline, hydroxyzine  |
| Overactive Bladder (OAB)   | Gemtesa  | darifenacin ER, oxybutynin ER/IR, solifenacin, tolterodine ER/IR, trospium ER/IR, Myrbetriq |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

## Excluded brand-name medications with generic equivalents

The brand-name medications below are excluded on the formulary. These brand-name medications have been identified as having available generic equivalents covered at Tier 1 on the formulary. Speak with your pharmacist to have your excluded brand-name medication substituted with its generic equivalent.

A generic medication contains the same active ingredient(s) as a brand-name medication. An active ingredient is what makes the medication work. For example, Lipitor® and its generic both contain atorvastatin, which reduces the amount of bad cholesterol in the blood. Brand-name medications are often protected by a patent. When the patent ends, drug companies can apply to the U.S. Food and Drug Administration (FDA) to begin making generic versions of the medication.

|                       |                       |                      |                       |                         |
|-----------------------|-----------------------|----------------------|-----------------------|-------------------------|
| Abilify               | Colestid              | Intuniv              | Prevacid              | Timoptic                |
| Absorica              | Concerta              | Kenalog spray        | Prinivil              | Timoptic Ocudose        |
| Acanya                | Coreg                 | Kenalog-40 Injection | Pristiq               | 0.5%                    |
| Aciphex tablet        | Coreg CR              | Keppra               | Prometrium            | Timoptic-XE             |
| Acticlate             | Cortef                | Keppra XR            | Propecia              | TOBI nebulizer solution |
| Azzone 5%             | Cosopt solution       | Klonopin             | Protonix tab          | Topradex suspension     |
| Adcirca               | Cosopt PF solution    | K-tab                | Provigil              | Topamax                 |
| Adderall              | Cozaar                | Kuvan                | Prozac                | Topamax sprinkle cap    |
| Adipex-P              | Crestor               | Lamictal chewable    | Pulmicort inhalation  | Topicort spray          |
| Afinitor 2.5,5,7.5mg  | Cuprimine             | Lamictal starter kit | suspension            | Toprol XL               |
| Alphagan P 0.15%      | Cymbalta              | Lamictal ODT         | Qudexy XR             | Tracleer 62.5,125mg     |
| Altace                | Cytomel               | Lamictal tab         | Questran              | Travatan-Z              |
| Ambien                | Delestrogen injection | Lamictal XR          | Questran Light        | Treximet                |
| Ambien CR             | 20mg/ml, 40mg/ml      | Lasix                | Ranexa                | Tribenzor               |
| Amrix                 | Delzicol              | Latisse              | Relafen               | Tricor                  |
| Androgel              | Depakote              | Lescol XL            | Relpax                | Trileptal               |
| Arimidex              | Depakote ER           | Letairis             | Remodulin injection   | Truvada <sup>2</sup>    |
| Arthrotec             | Depakote sprinkle cap | Lexapro              | Renagel               | Uceris tab              |
| Asacol HD             | Depo-testosterone     | Lidoderm             | Restoril              | Ultract                 |
| Atacand               | injection             | Lipitor              | Retin-A               | Ultram                  |
| Ativan                | Desonate gel          | Loestrin 21          | Retin-A micro gel     | Vagifem                 |
| Atripia <sup>1</sup>  | Differin cream, gel   | Loestrin FE          | 0.04%, 0.1%           | Valium                  |
| Avapro                | Dilantin cap 100mg    | Lotemax suspension   | Risperdal solution,   | Valtrex                 |
| Avodart               | Dilantin chewable     | Lotrel               | tablet                | Vanadom                 |
| Azopt                 | Dilantin suspension   | Lovaza               | Ritalin               | Vectical                |
| Azor                  | Dilaudid              | Lunesta              | Ritalin LA            | Vesicare tab            |
| Baraclude             | Diovan                | Lyrica               | Roxicodone            | Viagra                  |
| Benicar               | Diovan HCT            | Lyrica CR            | Sabril                | Vigamox                 |
| Benicar HCT           | Doryx tab 50, 200mg   | Maxalt               | Safyral               | Vimovo                  |
| Benzaclin             | Duragesic             | Maxalt-MLT           | Sandostatin injection | Vivelle-Dot             |
| Benzamycin            | Dyazide               | Metrogel             | Saphris               | Volgelxo                |
| Bepreve               | Effexor XR            | Micardis             | Seasonique            | Vytorin                 |
| Bethkis               | Elidel                | Micardis HCT         | Sensipar              | Welchol                 |
| Beyaz                 | Epiduo gel            | Minastrin            | Seroquel              | Wellbutrin SR           |
| Brisdelle             | EpiPen Jr 0.15mg      | Mobic                | Seroquel XR           | Wellbutrin XL           |
| Butrans               | Estrace               | Moviprep             | Silvadene             | Xalatan                 |
| Bystolic              | Evekeo                | MS Contin            | Singulair             | Xanax                   |
| Canasa                | Exforge               | Nalfon               | Skelaxin              | Xanax XR                |
| Carafate              | Exforge HCT           | Nasonex              | Solodyn               | Yasmin 28               |
| Carbatrol             | Fioricet              | Natropa              | Soma                  | Yaz                     |
| Cardizem LA           | Fioricet w/ codeine   | Neurontin            | Strattera             | Zanaflex                |
| 180,240,300,          | Firazyr               | Nexium capsule       | Suboxone              | Zegerid                 |
| 360, 420mg            | Flomax                | Niaspan ER           | Synthroid             | Zestril                 |
| Camitor solution,     | Focalin               | Nitrostat            | Taclonex ointment     | Zetia                   |
| tablet                | Focalin XR            | Norvasc              | Tamiflu               | Ziana                   |
| Catapres-TTS patch    | Fortesta              | Nulytely             | Targadox              | Zocor                   |
| Celebrex              | Generess FE           | Nuvigil              | Targetin              | Zolof                   |
| Celexa                | chewable              | Onfi                 | Tazorac cream 0.1%    | Zomig tab               |
| Cialis                | Gleevec               | Oracea               | Tecfidera             | Zomig ZMT               |
| Ciprodex              | Glumetza              | Paxil tab            | Tegretol              | Zonegran                |
| Clarinox 5mg tab      | Golytely solution     | Paxil CR             | Tegretol-XR           | Zovirax                 |
| Cleocin vaginal cream | Halog cream           | Percocet             | Tenormin              | Zyclara cream 3.75%     |
| Climara patch         | Hyzaar                | Plaquenil            | Testim gel            | Zyprexa                 |
| Clobex                | Imitrex               | Plavix               | Tikosyn               | Zytiga                  |
| Cloderm               | Inderal LA            | Pred Forte           |                       |                         |

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

## Required Prior Authorization +

| Therapeutic Class  | Non-Preferred Medications                               | Preferred Medications  |
|--------------------|---|--|
| Hepatitis C        | All other brands non-preferred with prior authorization | Epclusa, Harvoni, Mavyret, Vosevi  |
| Multiple Sclerosis | All other brands non-preferred with prior authorization | dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity      |
| Immunomodulators   | All other brands non-preferred with prior authorization | Avsola, Cimzia, Humira, Inflectra, Otezla, Rinvoq, Simponi, Skyrizi, Stelara, Tremfya, Xeljanz, Xeljanz XR |

\* All of the products listed above are currently subject to prior authorization. Preferred medications are required prior to new requests for non-preferred medication(s). Existing utilizers of non-preferred medication(s) within the therapeutic categories of Hepatitis C, Immunomodulators and Multiple Sclerosis will be eligible to remain on current therapy if compliance and efficacy of therapy are demonstrated. Exceptions will be granted for specific indications where the preferred agents do not have FDA-approval for use.

**About this document:** Where differences exist between this list and your benefit plan, the benefit plan documents rule. This is not a complete list of your covered medications. Please review your benefit plan documents for full details. Not all formulary alternatives listed in this document may be appropriate for your specific condition. Please talk to your doctor.



© 2021 Optum, Inc. All rights reserved. OR100-7555 All Optum® trademarks and logos are owned by Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners.

(M) Co-branded product

<sup>1</sup> Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup> Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.