

## DIVISION 02 – EXISTING CONDITIONS

### 02 26 00 – Asbestos Containing Materials Reference

1. The owner shall require certification that all materials included in any work completed by the Contractor will be free of asbestos. Acceptable certification will be Safety Data Sheets (SDS) for each type of material.
2. For purposes of this requirement, materials include but are not limited to the following,
  - a. Surface Treatments
    - Fireproofing
    - Finish plasters
    - Acoustical plaster
    - Skim coats of joint compound
  - b. Thermal System Insulation
    - Equipment insulation
    - Boiler, breeching, boiler rope, duct or tank insulation, cement or mortar used for boilers and refractory brick
    - Piping and fitting insulation including but not limited to wrapped paper, aircell, millboard, rope, cork, perforated plaster, job-molded plaster and coverings over fibrous glass insulation
  - c. Roofing and Siding Miscellaneous Materials
    - Insulation board
    - Coatings
    - Flashing
    - Cementitious board (transite)
    - Non-metallic or non-wood roof decking
    - Vapor barriers
    - Felts
    - Shingles
    - Galbestos
  - d. Other Miscellaneous Materials
    - Floor tile
    - Cove base
    - Ceiling tile
    - Vibration isolators
    - Chalkboards
    - Electrical wire insulation
    - Fire blankets
    - Brakes and clutches
    - Caulks
    - Wallpaper
    - Plasterboard
    - Textured paint
    - Glazing compound
    - Gaskets, seals, sealants (including for condensate control)
    - Floor leveling compound
    - Vermiculite insulation
    - Laboratory tables and hoods
    - Cementitious board
    - Fire curtains
    - Fire doors
    - Mastics, adhesives, glues
    - Sheet flooring
    - Drywall
    - Spackling/joint compound
    - Grout
    - Terrazzo

**END OF DIVISION 02**